

Pediatric Anesthesia Emergence Delirium Scale (PAED)

Sikich, N. and Lerman, J. 2004. "Development and Psychometric Evaluation of the Pediatric Anesthesia Emergence Delirium Scale." *Anesthesiology* 100(5):1138-45.

	Not at all	Just a little	Quite a bit	Very much	extremely
1. The child makes eye contact with the caregiver	4	3	2	1	0
2. The child's actions are purposeful	4	3	2	1	0
3. The child is aware of his/her surroundings	4	3	2	1	0
4. The child is restless	0	1	2	3	4
5. The child is inconsolable	0	1	2	3	4

Directions for scoring

Reverse scoring was required for the first three items on the PAED scale. The score of each item were summed to obtain a total PAED scale score. The potential range of scores is from 0 to a maximum of 20.

The degree of emergence delirium increased directly with the total score.

Traduction: Pediatric Anesthesia Emergence Delirium Scale (PAED)

Sikich, N. and Lerman, J. 2004. "Development and Psychometric Evaluation of the Pediatric Anesthesia Emergence Delirium Scale." *Anesthesiology* 100(5):1138-45.

	Pas du tout	Juste un peu	Tout a fait	Beaucoup	Extrêmement
1. L'enfant garde le contact visuel avec l'infirmière	4	3	2	1	0
2. Les actions de l'enfant sont résolues	4	3	2	1	0
3. L'enfant reconnaît son environnement	4	3	2	1	0
4. L'enfant est agité	0	1	2	3	4
5. L'enfant est inconsolable	0	1	2	3	4

Directives pour l'attribution du score

L'attribution du score est renversée pour les trois premiers articles de l'échelle de PAED. Les points de chaque item doivent être additionnés pour obtenir des points totaux de l'échelle PAED. Les scores potentiels se situent entre 0 et 20. Le degré d'apparition de delirium augmente directement avec les points.