

Abbreviated Mental Test (AMT)

Hodkinson, H. M. 1972. "Evaluation of a Mental Test Score for Assessment of Mental Impairment in the Elderly." *Age Ageing* 1(4):233-38.

		Scores	
1.	Age	0	1
2.	Time (to nearest hour)	0	1
3.	Address for recall at the end of the test : 42 west street	0	1
4.	Year	0	1
5.	Name of hospital	0	1
6.	Recognition of two persons (doctor, nurse)	0	1
7.	Date of birth	0	1
8.	Year of first world war	0	1
9.	Name of present monarch/ present governor	0	1
10.	Count backwards 20-1	0	1
Total Score			

Directions for use

The questions are put in the order of appearance and the score of each question is managed immediately. For the address, this should be repeated by the patient to ensure it has been heard correctly.

Directions for scoring

The score is from a low of 0 to 10. One point is allotted by correct answer.

A cut off score of 7 is suggested to discriminate between a cognitive impairment and normality.

Traduction: Abbreviated Mental Test (AMT)

Hodkinson, H. M. 1972. "Evaluation of a Mental Test Score for Assessment of Mental Impairment in the Elderly." *Age Ageing* 1(4):233-38.

		Scores	
1.	Age	0	1
2.	Heure(heure la plus proche)	0	1
3.	Adresse pour le rappel à la fin du test : 42 west street	0	1
4.	Année	0	1
5.	Nom de l'hôpital	0	1
6.	Reconnaissance de deux personnes (médecin, infirmière)	0	1
7.	Date de naissance	0	1
8.	Date de la première guerre mondiale	0	1
9.	Nom du monarque/ du président actuel	0	1
10.	Compter à rebours de 20 à 1	0	1
Total Score			

Directives pour l'utilisation

Les questions sont posées dans l'ordre d'apparition et les points de chaque question sont attribués immédiatement. Pour l'adresse, elle devrait être répétée par le patient pour s'assurer qu'elle a été entendue correctement.

Directives pour l'attribution du score

Les scores varient de 0 à 10. Par réponse correcte, un point est attribué.

Un score seuil de 7 est suggéré comme valeur discriminante entre un trouble cognitif et la normalité.