

## Score hospitalier d'évaluation du risque de perte d'autonomie (SHERPA)

Cornette P. (2006)

" Early Evaluation of the Risk of Functional Decline Following Hospitalization of Older Patients: Development of a Predictive Tool."

Appendix 1: SHERPA

	Risk score
Fall in the previous year	
No	0
Yes	2
MMSE <15/21	
No	0
Yes	2
Bad self-perceived health	
No	0
Yes	1.5
Age (years)	
<75	0
75-84	1.5
>84	3
Pre-admission IADL score	
6-7	0
5	1
3-4	2
0-1-2	3

SHERPA score	Risk
0-3	low
3,5-4,5	mild
5-6	high
>6	moderate

**Vertaling: Ziekenhuisscore ter evaluatie van het risico op het verliezen van zelfstandigheid (score hospitalier d'évaluation du risque de perte d'autonomie of SHERPA)**

*Cornette P. (2006)*

*" Early Evaluation of the Risk of Functional Decline Following Hospitalization of Older Patients: Development of a Predictive Tool."*

TABEL 1:  
ITEMS EN BEOORDELING VAN HET SHERPA-INSTRUMENT

		Punten
Val tijdens het afgelopen jaar	Nee	0
	Ja	2
MMSE < 15/21	Nee	0
	Ja	2
Gezondheid wordt ervaren als slecht	Nee	0
	Ja	1,5
Leeftijd (in jaren)	< 75	0
	75 tot 84	1,5
	> 84	3
Aantal ADL <sub>i</sub> zelfstandig uitgevoerd vóór de opname	6-7	0
	5	1
	3-4	2
	0-1-2	3
		Score: /11,5

MMSE: Mini Mental Status Exam

ADL<sub>i</sub>: Activiteiten van het dagelijks leven instrument

TABEL II:  
 RISICOGRAAD VOOR VERMINDERD FUNCTIONEREN VOLGENS DE SHERPA-SCORE

Sherpa-score	Risico verminderd functioneren	Risico verminderd functioneren t.o.v. laag risico (OR <sup>5</sup> )
0-3	laag	
3,5-4,5	licht	1,97
5-6	gemiddeld	4,17
>6	hoog	10,42